

Mega RS: £6000 (GBP) / \$7600 (Euro) / \$7800 (USD)



- **Frame:** Nukeproof Mega V4 297 Carbon, 165mm Travel, ultra-strong monocoque UD Carbon Fibre frame, internally piped cable routing, ISCG 05 mounts, Enduro Bearings, Threaded 73mm BB, Boost 148mm rear axle spacing, 3D contoured Rubber frame protection and Factory fitted clear paint protection kit covering TT/DT/CS/SS.
- **Fork:** RockShox Zeb Ultimate Charger 2.1 RC2 170mm, 44mm Offset, BOOST, Debonair, Grey
- **Shock:** RockShox Super Deluxe Ultimate RCT, Custom LIN L1 HOTDOG S320 tune, 230x62.5mm, Bearing End, 2 bottomless tokens fitted.
- **Front Wheel:** Nukeproof Horizon V2, 29", 6 Bolt, 110x15mm
- **Rear Wheel:** Nukeproof Horizon V2, 27.5", 6 Bolt, XD Driver, 148x12mm
- **Tyres:** Front: Michelin Wild Enduro 29" x 2.4, GUM-X TS TLR, Rear: Michelin Wild Enduro 27.5" x 2.4, GUM-X TS TLR
- **Crankset:** SRAM Descendant Carbon Eagle 12-Speed, 170mm, 32T, B148, DUB
- **Shifter:** SRAM Eagle AXS 12-Speed, Black
- **Rear Derailleur:** SRAM XO1 AXS Eagle 12-Speed, Black
- **Chain:** SRAM GX Eagle 12-Speed
- **Cassette:** SRAM XO1 Eagle 12-Speed, CS XG1295 EAGLE 10-52T
- **Chain Guide:** MRP 1x AMG V2, 32-38T, ISCG-05, black
- **Brakes:** SRAM Code RSC, Sintered pads
- **Front Rotor:** SRAM Centreline, 200mm
- **Rear Rotor:** SRAM Centreline, 200mm
- **Handlebars:** Nukeproof Horizon Carbon V2 25mm Rise, Width - S780mm, M780mm, L800mm
- **Stem:** Nukeproof Horizon, 45mm, Black
- **Saddle:** Nukeproof, Black
- **Seatpost:** Bikeyoke Revive with Triggy 1x Remote, 31.6mm; S:125mm drop; M:160mm drop; L:185mm drop
- **Headset:** Nukeproof, 44-56 IITS
- **Grips:** Nukeproof Sam Hill Signature

- **Weight:** 14.65kg Medium Tubeless

Mega Factory: £5400 (GBP) / \$6800 (Euro)/ \$7000 (USD)



- **Frame:** Nukeproof Mega V4 297 Carbon, 165mm Travel, ultra-strong monocoque UD Carbon Fibre frame, internally piped cable routing, ISCG 05 mounts, Enduro Bearings, Threaded 73mm BB, Boost 148mm rear axle spacing, 3D contoured Rubber frame protection and Factory fitted clear paint protection kit covering TT/DT/CS/SS.
- **Fork:** Fox 38 Float, Factory Series, Kashima, Grip 2 Damper, 170mm, 44mm Offset, BOOST, Black
- **Shock:** Fox Float X2, Factory Series, Kashima, EVOL, 2 Position lever, Custom LCL LRL tune, 230x62.5mm, Bearing End, 2x 0.3 spacer fitted.
- **Front Wheel:** DT Swiss EX1700 SPLINE 30, 29", 6 Bolt, 110x15mm
- **Rear Wheel:** DT Swiss EX1700 SPLINE 30, 27.5", 6 Bolt, Shimano Microspline Driver, 148x12mm
- **Tyres:** Maxxis Assegai 3C MAXXGRIP/DD/TR 29" x 2.5WT, Rear: Maxxis Minion DHR II 3C MAXXTERRA/DD/TR 27.5" x 2.4WT
- **Crankset:** Shimano XT M8100 12-Speed, Hollowtech 2, 170mm, 32T, 52mm Chainline
- **Shifter:** Shimano XT M8100-R, 12-speed Rapidfire Plus, I-Spec EV
- **Rear Derailleur:** Shimano XT M8100, SGS 12-Speed, Shadow Plus
- **Chain:** Shimano XT M8100 HG 12-speed Inc Quicklink
- **Cassette:** Shimano XT M8100-12, 12-Speed (HYPERGLIDE+), 10-51T
- **Chain Guide:** Nukeproof guide with Bash, 28-36T, ISCG-05, black
- **Brakes:** Shimano XT M8120, 4 Pot Brake, Metallic Pads
- **Front Rotor:** Brakco, 203mm
- **Rear Rotor:** Brakco, 203mm
- **Handlebars:** Nukeproof Horizon V2 25mm Rise, Width - S780mm, M780mm, L800mm
- **Stem:** Nukeproof Horizon, 45mm, Black
- **Saddle:** Nukeproof, Black
- **Seatpost:** Bikeyoke Divine Stealth with Brand-X Remote lever, S:125mm drop; M:160mm drop; L:185mm drop
- **Headset:** Nukeproof, 44-56 IITS

- **Grips:** Nukeproof Sam Hill Signature
- **Weight:** 15.39kg Medium Tubeless

Mega Elite: £4400 (GBP) / 5600 (Euro) / \$5800 (USD)



- **Frame:** Nukeproof Mega V4 297 Carbon, 165mm Travel, ultra-strong monocoque UD Carbon Fibre frame, internally piped cable routing, ISCG 05 mounts, Enduro Bearings, Threaded 73mm BB, Boost 148mm rear axle spacing, 3D contoured Rubber frame protection and Factory fitted clear paint protection kit covering TT/DT/CS/SS.
- **Fork:** Fox 36 Float, Performance Elite Series, Grip 2 Damper, 170mm, 44mm Offset, BOOST, Black
- **Shock:** Fox Float X2, Performance Series, EVOL, 2 Position lever, Custom LCL LRL tune, 230x62.5mm, Bearing End, 2x 0.3 spacer fitted.
- **Front Wheel:** Nukeproof Horizon V2, 29", 6 Bolt, 110x15mm
- **Rear Wheel:** Nukeproof Horizon V2, 27.5", 6 Bolt, Shimano Microspline Driver, 148x12mm
- **Tyres:** Front: Maxxis Assegai 29" x 2.5 WT, 3C MaxxGrip DD TR, Rear: Maxxis Minion DHR II 27.5" x 2.4 WT, 3C MaxxTerra DD TR
- **Crankset:** Shimano SLX M7100 12-Speed, Hollowtech 2, 170mm, 32T, 52mm Chainline
- **Shifter:** Shimano SLX M7100-IR, 12-speed Rapidfire Plus, I-Spec EV
- **Rear Derailleur:** Shimano SLX M7100, SGS 12-Speed, Shadow Plus
- **Chain:** Shimano SLX M7100 HG 12-speed Inc Quicklink
- **Cassette:** Shimano SLX M7100-12, 12-Speed (HYPERGLIDE+), 10-51T
- **Chain Guide:** Nukeproof guide with Bash, 28-36T, ISCG-05, black
- **Brakes:** Shimano SLX M7120, 4 Pot Brake, Metallic Pads
- **Front Rotor:** Brakco 203mm
- **Rear Rotor:** Brakco, 203mm
- **Handlebars:** Nukeproof Horizon V2 25mm Rise, Width - S780mm, M780mm, L800mm
- **Stem:** Nukeproof Horizon, 45mm, Black
- **Saddle:** Nukeproof, Black
- **Seatpost:** Brand X Ascend internal with Brand-X Remote lever, S:125mm drop; M:150mm drop; L:170mm drop
- **Headset:** Nukeproof, 44-56 IITS

- **Grips:** Nukeproof Sam Hill Signature
- **Weight:** 15.65kg Medium Tubeless

Mega Pro: £3700 (GBP) / 4700 (Euro) / \$4800 (USD)



- **Frame:** Nukeproof Mega V4 297 Alloy, 165mm Travel, custom triple butted hydro-formed tube set, internal cable routing, ISCG 05 mount, Enduro Bearings, Threaded 73mm BB, Boost 148mm rear axle spacing, 3D contoured Rubber frame protection.
- **Fork:** RockShox ZEB Select + Charger 2.1 RC 170mm, 44mm Offset, BOOST, Debonair, Gloss Black
- **Shock:** RockShox Super Deluxe Select+ RT, Custom LIN L1 HOTDOG S320 tune, 230x62.5mm, Bearing End, 2 bottomless tokens fitted.
- **Front Wheel:** Nukeproof Neutron V2 29", Tubeless Ready, 32h, 110x15mm
- **Rear Wheel:** Nukeproof Neutron V2 27.5", Tubeless Ready, 32h, SRAM XD Driver with 36 points of engagement, 148x12mm
- **Tyres:** Front: Maxxis Assegai 29" x 2.5 WT, 3C MaxxGrip DD TR, Rear: Maxxis Minion DHR II 27.5" x 2.4 WT, 3C MaxxTerra DD TR
- **Crankset:** SRAM Descendant 7K Eagle 12-Speed, 170mm, 32T, B148, DUB
- **Shifter:** SRAM GX Eagle 12-Speed
- **Rear Derailleur:** SRAM GX Eagle 12-Speed
- **Chain:** SRAM GX Eagle 12-Speed
- **Cassette:** SRAM GX Eagle 12-Speed, CS XG1275 EAGLE 10-52T
- **Chain Guide:** Nukeproof Chain Guide with Bash, 28-36T, ISCG-05, black
- **Brakes:** SRAM Guide RE
- **Front Rotor:** SRAM Centreline, 200mm
- **Rear Rotor:** SRAM Centreline, 200mm
- **Handlebars:** Nukeproof Horizon V2 25mm Rise, Width - S780mm, M780mm, L800mm
- **Stem:** Nukeproof Neutron AM, 45mm, black
- **Saddle:** Nukeproof, Black
- **Seatpost:** Brand X Ascend internal, 31.6mm, S:125mm drop; M:150mm drop; L:170mm Drop
- **Headset:** Nukeproof, 44-56 IITS
- **Grips:** Nukeproof Sam Hill Signature

- **Weight:** 15.49kg Medium Tubeless

Mega Comp: £3000 (GBP) / 3800 (Euro) / \$4000 (USD)



- **Frame:** Nukeproof Mega V4 297 Alloy, 165mm Travel, custom triple butted hydro-formed tube set, internal cable routing, ISCG 05 mount, Enduro Bearings, Threaded 73mm BB, Boost 148mm rear axle spacing, 3D contoured Rubber frame protection.
- **Fork:** RockShox Domain, Motion Control RC damper, 170mm, 44mm Offset, BOOST, Debonair, Gloss Black
- **Shock:** RockShox Super Deluxe Select R, Custom LIN L1 HOTDOG tune, 230x62.5mm, Bearing End, 2 bottomless tokens fitted.
- **Front Wheel:** Sun-Ringle Duroc SD37 Comp 29", 15x110mm
- **Rear Wheel:** Sun-Ringle Duroc SD37 Comp 27.5", Shimano Microspline Driver, 148x12mm
- **Tyres:** Front: Maxxis Assegai 29" x 2.5 WT, 3C MaxxGrip DD TR, Rear: Maxxis Minion DHR II 27.5" x 2.4 WT, 3C MaxxTerra DD TR
- **Crankset:** Race Face Ride, 12 Speed Crank, 170mm, 32T, 52mm Chainline
- **Shifter:** Shimano Deore M6100-IR, 12-speed Rapidfire Plus, I-Spec EV
- **Rear Derailleur:** Shimano Deore M6100, SGS 12-Speed, Shadow Plus
- **Chain:** Shimano Deore M6100 12-Speed
- **Cassette:** Shimano Deore M6100 12-Speed (HYPERGLIDE+), 10-51T
- **Chain Guide:** MRP 1x CS, 28-34T, ISCG-05, black
- **Brakes:** SRAM TBC
- **Front Rotor:** SRAM, 200mm
- **Rear Rotor:** SRAM, 200mm
- **Handlebars:** Nukeproof Neutron V2 25mm Rise, Width - S780mm, M780mm, L800mm
- **Stem:** Nukeproof Neutron AM, 45mm, black
- **Saddle:** Nukeproof, Black
- **Seatpost:** Brand X Ascend internal, 31.6mm, S:125mm drop; M:150mm drop; L: 170mm Drop
- **Headset:** Nukeproof, 44-56 IITS
- **Grips:** Nukeproof Sam Hill Signature

- **TBC**